WO 2005/052117 PCT/US2004/038830

WHAT IS CLAIMED IS:

1. A method for enhanced synthesis of biological macromolecules *in vitro*, the method comprising:

synthesizing said biological macromolecules in a reaction mix including a phosphatefree energy source, in the presence of exogenous phosphate.

- 2. The method of Claim 1, wherein said phosphate free energy source is glucose.
- 3. The method of Claim 1, wherein said phosphate free energy source is glutamate.
- 4. The method of Claim 1, wherein said phosphate free energy source is pyruvate.
- 5. The method of Claim 1, wherein said phosphate is present at a concentration of from about 1 mM to about 20 mM.
- 6. The method of Claim 5, wherein said phosphate is provided as potassium phosphate, magnesium phosphate, or ammonium phosphate.
- 7. The method of Claim 1, wherein said phosphate is provided in a source that is released during the reaction.
- 8. The method according to Claim 1, wherein said reaction mix comprises nucleoside monophosphates.
- 9. The method according to Claim 8, wherein said synthesis is performed the absence of exogenous nucleotide triphosphates.
- 10. The method of Claim 8, wherein said synthesis of biological macromolecules comprises translation of mRNA to produce polypeptides.
- 11. The method of Claim 10, wherein said synthesis also comprises transcription of mRNA from a DNA template.
- 12. The method of Claim 1 wherein said synthesis of biological macromolecules is performed as a batch reaction.

WO 2005/052117 PCT/US2004/038830

13. The method of Claim 1, wherein said synthesis of biological macromolecules is performed as a continuous reaction.

- 14. The method of Claim 1, wherein said reaction mix comprises an extract from *E. coli* grown in glucose containing medium.
- 15. The method of Claim 14, wherein said *E. coli* are grown in glucose and phosphate containing medium.
- 16. The method of Claim 1, wherein said reaction mix comprises magnesium at a concentration of from about 5 mM to about 20 mM.
- 17. The method of Claim 1, wherein said reaction mix is substantially free of polyethylene glycol.
- 18. The method according to Claim 17, wherein said reaction mix comprises one or more of spermine, spermidine and putrescine.